

Arena

@Home



TileLine



Barrier-Free Seating



Tactile Therapy



Escutcheons

Shell Colors



UltraLife Jasper Obsidian Opal Graphite



Tanzanite Moonstone Sunstone Sand

Architectural Trim

ENVIROTECT



Tan Brown Gray

TERRACINA



Oak Cherry Vintage Cedar

Specifications

Dimensions **87" diameter x 36" H**

Seating **7**

Jets **14 jets**

Electrical **240V, 30/40A**

Water Management **ClearZone (optional)**

Full-Foam Insulation **Standard**

Shadow FX **Optional**

Features



Pumps



Persons



Jets



ClearZone (Optional)



Shadow FX (Optional)



DIMENSION ONE SPAS[®]


www.d1spas.com

| General | | |
|--------------------------------------------|-----------------------------------------------------|----------------------|
| Shape | Round | |
| Seating Capacity | 7+ | |
| Shell Material | Ultralife™ / Granitex™ | |
| Dimensions | 87" Diameter x 36" H / (221cm Diameter x 91cm H) | |
| Corner Radii | n/a | |
| Water Capacity | 340 Gallons (1287 Liters) | |
| Dry Weight | 560 lbs (254 kg) | |
| Shipping Weight | Domestic 560 lbs (254 kg) - Export 610 lbs (277 kg) | |
| Full Weight | 3395 lbs (1540 kg) | |
| Skirt Material | Wood | |
| Poly Floor | Yes | |
| Water System | | |
| Water Treatment System | Crystal Zone™ | |
| Plumbing Systems | 2 | |
| Filters/Coverage | 1 / 75 sq. ft. | |
| Gate Valves | 2 | |
| VCR Jet® - Air Adjustable/Directional | 2 | |
| VCR Jet® - Rotator | 6 | |
| VCR Jet® - Dual Rotator | 0 | |
| VCR Jet® - Multi Port Spinner | 0 | |
| VCR Jet® - Mini Rotator | 2 | |
| VCR Jet® - Mini Directional | 2 | |
| VCR Jet® - Euro Directional | 0 | |
| VCR Jet® - Euro Rotator | 0 | |
| VCR Jet® - Mini Directional in NFJ | 0 | |
| Typhoon Jet | 2 | |
| Ozone Jet | 1 | |
| Heater Return Jet | 1 | |
| Pump Returns | 2 | |
| Diverter Valves | 1 | |
| Floor Drains | 1 | |
| Skimmer | 8" Weir | |
| Special Features | | |
| Dynamic Massage Sequencer w/ control panel | No | |
| NeckFlex® Jet Pillows | 0 | |
| Headrest Pillows | 0 | |
| Stereo system | not available | |
| Water Feature | n/a | |
| Water Feature Volume control | n/a | |
| Cup Holders | 0 | |
| Tactile Therapy | Floor pedastal | |
| Pump Information | | |
| | Domestic (60Hz) | Export (50Hz) |
| Motor Size – Peak (Continuous) HP | 4.0 (2.5) Hp | 3.6 (2.0) HP |
| Jet Pumps # of Pumps/Speed | One / Dual | One / single |
| Circulation pump | 1 | 1 |
| Fountain pump | n/a | n/a |
| Electrical System | | |
| | Domestic (60Hz) | Export (50Hz) |
| Voltage | 240 | 240 |
| Amperage | 40/30 | 1X16 / 2X16 / 1X32 |
| Heater | FastFlo 2.7,4.0,5.5 kW | FastFlo 2.9 kW |
| Thermostat | Electronic | Electronic |
| Light | Multi color LED | Multi color LED |
| Control System | MSPA-MP-D11 | MSPA-MP-D11-CE |
| Upper Control (programmable) | MSPA-1 midrange UCP | MSPA-1 midrange UCP |
| Auxiliary Upper Control | No | No |



Note: 1. Subject to change without notice.

Arena Architectural Specification



- Note:**
1. Subject to change without notice.
 2. Engineering specs may differ slightly from brochure.
 3. For E-Z lifter installation allow 18" clearances on the backside of the spa.
 4. Alternative cabinets may add significant weight. Ask your dealer for exact details
 5. This is the approximate location for drilling a hole if you must bring the power line in through the bottom of the spa. Be careful not to puncture a plumbing line inside the equipment compartment(drill from the inside compartment out).

Caution:
 Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.